

DMEM Low Glucose w/ L-Glutamine w/ Sodium Pyruvate

CAT N°: LM-D1099

Storage conditions: +2°C to +8°C

Shelf life: 12 months

Composition: Displayed on website and in catalog; also available on request.

Colour: Red, clear solution

pH: 7.3 ± 0.3

Osmolality: 316 mOsm/kg ± 10 %

Endotoxin: < 1 EU/ml

Sterility tests:

- Bacteria in aerobic and anaerobic conditions
- Fungi and yeasts

Cell Growth test:

Medium tested for the ability to support Hela cell growth.

Other tests: Not applicable

Recommended use:

- Respect storage conditions of the product
- Do not use the product after its expiry date
- Store product in an area protected from light (not necessary for saline solutions).
- Manipulate the product in aseptic conditions (e.g.: under laminar air flow)
- Wear clothes adapted to the manipulation of the product to avoid contamination (e.g.: gloves, mask, hygiene cap, overall...)

The product is intended to be used in vitro for research or further manufacturing only and not for use as an Active Pharmaceutical Ingredient or food or animal feed.

Application:

Lots of modifications of Eagle's medium have been developed since the creation of the first formulation. The most used Eagle's medium is the Dulbecco's Modified Eagle's Medium (DMEM). It is a modification of Basal Medium Eagle (BME) that contains a concentration more important of amino acids and vitamins and also supplementary components. DMEM Low Glucose corresponds to the original formulation with 1000 mg/L of glucose; it was used to culture embryonic mouse cells.

Uses:

Supplements, such as antibiotics, should be added as sterile supplements to the medium. Storage conditions and shelf-life of supplemented product will be affected by the nature of the supplements. Sterile serum should not be refiltered before or after being added to sterile medium because growth promoting capacity may be reduced upon re-filtration.

Signs of Deterioration:

Medium should be clear and free of particulate and flocculent material. Do not use, if medium is cloudy or contains precipitate.

Other evidence of deterioration may include colour change or degradation of physical or performance characteristics.

Remarks: Not applicable